

Year 10 Chemistry 4: Chemical Changes Knowledge Organiser



1.Keywords		2.	REDOX	
Metal oxide	A compound formed when a metal ionically bonds to oxygen	С	hange	In teri
Reactivity series	The order of elements in terms of their	0	xidation	Gaini
	reactivity	Re	eduction	Losing
Acid	A substance that releases H+ ions and has a pH below 7	3.	3. The reactivity series	
Base	A substance that neutralises an Acid and has a pH above 7		Category	Extrac
Alkali	A type of soluble base. A metal hy- droxide. Releases OH- ions	1	Highly re- active	Electr
Neutralisation	When an acid reacts with a base to produce a salt and water	2	metals Base met-	Smelt
Carbonates	lonic compounds containing Carbon and oxygen		als	ing w
Salt	lonic compound formed when acid and base react	3	Native metals	Found gets a meta
Soluble	A substance that dissolves		OTE: Hydroge	
Insoluble	A substance that does not dissolve		and used to extract sor metals not on this list	
Indicator	A substance that changes colour when pH changes	4.	Naming salts	S
Electrolysis	Splitting up an ionic substance using		Ac	id used
2.000.00,000	electricity	H	Hydrochloric acid	
Molten	Turned to a liquid	Su	Sulfuric acid	
Solution	Dissolved in water	N	Nitric acid	


EDOX		
nge	In terms of oxygen	In terms of hydrogen In terms of electrons (HT ONLY)
lation	Gaining oxygen	Losing hydrogen Loss of electrons (OIL)
uction	Losing oxygen	Gaining hydrogen Gain of electrons (RIC
e reactivity	' series	Potassium most reactive Sodium
Category	Extracted by	Calcium 1 Magnesium
lighly re- active netals	Electrolysis	Aluminium Carbon Zinc
ase met- IIs	Smelting: heat- ing with carbon	Iron Tin Lead
lative netals	Found as nug- gets of pure metal	Hydrogen Copper Silver
	n is not a metal tract some other nis list	Gold 3 V Platinum least reactive
aming salts	;	
Ac	id used	Second part of salt's name
rochloric a	cid	chloride
uric acid		sulfate

nitrate



Year 10 Chemistry 4: Chemical Changes Knowledge Organiser






	Name	Level of ionisation in water
А	Strong acid	Fully
В	Weak acid	Partially
С	Weak base	Partially
D	Strong base	Fully

6. Equation for all neutralisations

$$H^{+}_{(aq)} + OH^{-}_{(aq)} \rightarrow H_2O_{(I)}$$

8. Electrolysis of aqueous solutions	
Place in reactivity series	Product of electrolysis
Metal more reactive than hydrogen	Hydrogen is produced at the cathode
If the negative ion is not a halide ion (group 7)	Oxygen is produced at the anode

7. Ele	7. Electrolysis		
1	Cathode	The negative electrode	
2	Anode	The positive electrode	
3	Positive ion	Move to cathode	
4	Negative ion	Move to anode	
5	Electrolyte	The ions that are being electrolysed	







7. Titr	7. Titrations (TRIPLE ONLY)		
No.	Name	Function	
1	Burette	Measures amount of acid or base de- livered to conical flask	
2	Pipette	Accurately measures the acid or base into the conical flask	
3	Conical flask	Holds the acid or base to be titrated and an indicator	

