


# **Sustaining Ecosystems**

### What is an Ecosystem?

An ecosystem is a system in which organisms interact with each other and

#### **Ecosystem's Components**

Abiotic	These are non-living, such as air, water, heat, rock.		
Biotic	These are living, such as plants, insects, and animals.		
П	Flora	is plant life occurring in a particular region or time.	
	Fauna	is all animal life of any particular region or time.	



### Food Chains

Food chains are useful in explaining the basic principles behind ecosystems. They show only one species at a particular level from where energy is transferred up to the next.

### **Tropical Rainforest Biome**



Tropical rainforests are centred along the Equator between the Tropic of Cancer and Capricorn 10° N and 10°S. Rainforests can be found in South America, central Africa and South-East Asia. The Amazon is the world's largest rainforest and takes up the majority of northern South America, encompassing countries such as Brazil and Peru.

Distribution of Tropical Rainforests

**Sustaining Ecosystems** 



#### Convectional rainfall


- The roots of plants take up water from the ground and the rain is intercepted as it falls.
- As the rainforest heats up, the water evaporates into the atmosphere. The trees transpire.
- Finally, the water condenses and forms clouds to make the next day's rain.

#### Rainforest nutrient cycle

The hot, damp conditions on the forest floor allow for the rapid decomposition of dead plant material. This provides plentiful nutrients that are easily absorbed by plant roots. However, as these nutrients are in high demand from the many fast-growing plants, they do not remain in the soil for long and stay close to the surface. If vegetation is removed, the soils quickly become infertile

### **Climate of Tropical Rainforests**

- Evening temperatures rarely fall below 22°C
- Due to the presence of clouds, temperatures rarely rise above 32°C
- · Most afternoons have heavy showers
- At night with no clouds insulating temperature drops



### Nutrient cycle

Plants take in those nutrients where they are built into new organic matter. Nutrients are taken up when animals eat plants and then returned to the soil when animals die and the body is broken down by decomposers.

This is the surface layer of vegetation, which over time breaks down to become humus.

**Biomass** The total mass of living organisms per unit area.



## Layers of the Rainforest

Emergent	Highest layer with tree reaching 50 metres.
Canopy	Most life is found here as It receives 70% of the sunlight and 80% of the light.
U-Canopy	Consists of trees that reach 20 metres high.

Lowest layer with small trees that have adapted to living in the shade.


### Interdependence in the rainforest

A rainforest works through interdependence. This is where the plants and animals depend on each other for survival.

Rainforest soil profile					
Marie	Leaf Litter	eaf Litter Thin litter layer rapidly decomposes in heat.			
	Top Soil	Shallow topsoil is a mixture of decomposed organic matter and minerals.			
300000	Sub Soil	The sub-soil is deep due to weathering of rocks below.			
计计	Rock	Underlying rock weathers quickly at high temperatures to form sub-soil.			

#### **Biomes**

A biome is a large geographical area of distinctive plant and animal groups, which are adapted to that particular environment. The climate and geography of a region determines what type of biome can exist in that region.



The most productive biomes – which have the greatest

biomass- grow in climates that are hot and wet.

forest Deciduous forest

Tundra

Coniferous

rainforests

Temperate

grasslands Tropical grasslands Hot deserts

### Biome's climate and plants

Laver

,	Biome	Location	Temperature	Rainfall	Flora	Fauna
;	Topical rainforest	Centred along the Equator.	Hot all year (25-30°C)	Very high (over 2000mm/year)	Tall trees forming a canopy; wide variety of species.	Greatest range of different animal species. Most live in canopy layer
	Tropical grasslands	Between latitudes 5° - 30° north & south of Equator.	Warm all year (20-30°C)	Wet + dry season (500-1500mm/year)	Grasslands with widely spaced trees.	Large hoofed herbivores and carnivores dominate.
;	Hot desert	Found along the tropics of Cancer and Capricorn.	Hot by day (over 30°C) Cold by night	Very low (below 250mm/year)	Lack of plants and few species; adapted to drought.	Many animals are small and nocturnal: except for the camel.
	Temperate forest	Between latitudes 40°- 60° north of Equator.	Warm summers + mild winters (5-20°C)	Variable rainfall (500- 1500m /year)	Mainly deciduous trees; a variety of species.	Animals adapt to colder and warmer climates. Some migrate.
•	Tundra	Far Latitudes of 65° north and south of Equator	Cold winter + cool summers (below 10°C)	Low rainfall (below 500mm/ year)	Small plants grow close to the ground and only in summer.	Low number of species. Most animals found along coast.
s.	Coral Reefs	Found within 30° north – south of Equator in tropical waters.	Warm water all year round with temperatures of 18°C	Wet + dry seasons. Rainfall varies greatly due to location.	Small range of plant life which includes algae and sea grasses that shelters reef animals.	Dominated by polyps and a diverse range of fish species.



Land prices have increased.

Deforestation to clear areas for tourism industry.

# **Sustaining Ecosystems**

QEMS		
CURIOSITY .Co		

#### **Tropical Rainforest Biome** Polar/Tundra Regions Biome **Distribution of Polar Regions** Climate Change on Polar Regions Adaptations to the rainforest Rainforest inhabitants Arctic Antarctic Scientific reports outline the effect global warming is having on these Sloths Are camouflaged to forest environment. Many tribes have developed sustainable ways regions. Ice sheets and glaciers are melting at an alarming rate of survival, such as shifting cultivation. A continent south of Is the region north of leading to fears of rising sea levels. Thawing of permafrost is **Buttress Roots** Support tall trees & absorb nutrients. The forest provides inhabitants with... latitude 60°N around latitude 60°S around increasing methane emissions and the decline of arcticice is creating Food through hunting and gathering. the North Pole. the South Pole. **Drip Tips** Allows heavy rain to run off leaves easily waves that are capable of causing unseen coastal erosion. Natural medicines from forest plants. · Homes and boats from forest wood. Lianas & Vines Climbs trees to reach sunlight at canopy. Arctic soil profile Effects of Human Activity on the Rainforest Benefits of the rainforest Thaws in the summer. **Active Laver** Becomes deeper towards pole. Agriculture Logging Commonly used materials Raw Permanently frozen all year. such as timber and rubber Materials Permafrost Large scale 'slash and burn' of Most widely reported cause of Laver Increases further north. are found here. destructions to biodiversity. land for ranches and palm oil. Polar areas are very cold with temperatures Bed Rock Low temperatures weathers Timber is harvested to create Increases carbon emission. rarely reaching above 0 °C. Winters average Water Controls the flow of water commercial items such as River saltation and soil erosion below-40 °C with summers a maximum of only rock slowly = less nutrients. to prevent floods/droughts 10 °C. Rainfall is low throughout the year. furniture and paper. increasing due to the large regions.. **Effects of Human Activity in Polar Regions** Has lead to violent areas of exposed land Land & Sea Features confrontation between Increase in palm oil is making Food Important foods such as Oil & Gas exploration Whaling indigenous tribes and logging the soil infertile. Bananas, pineapples and Antarctic **Arctic** coffee are grown there. companies. Arctic holds a large amount of Hunting of whales is a major untapped oil and gas. industry-this led to a rapid Large areas are Large and thick ice Mineral Extraction **Tourism** Health 25% of modern medicines Oil spills would threaten decline in whale populations. permafrost. At sea, sheets. A mountain are sourced from ecosystems as clean up Many countries have banned most of the region is range crosses the Precious metals are found in Mass tourism is resulting in the rainforest ingredients. operations would be slow. whaling, but some still continue continent. frozen over. the rainforest. building of hotels in extremely Areas mined can experience soil vulnerable areas. Large dams generate 2/3 Energy Fishing Tourism Flora (Plants) Fauna (Animals) of Brazil's energy needs. and water contamination. Lead to negative relationship Indigenous people are between the government and Has made area possible to fish The tourism industry is steadily There are very few Relatively few species becoming displaced from their indigenous tribes large untapped stocks. growing within polar regions. plants in polar areas of animals. Polar Acts as carbon sinks by land due to roads being built to Tourism has effected wildlife Climate The polar areas are difficult to Travel by tourist increase - some lichens. Bears, Penguins and storing 15% of carbon transport products. (apes) by exposing them to marine mammals like police due to harsh conditions. emissions further. mosses and grasses emissions. human diseases. Collapse of the fish stocks there Wildlife may become disturbed along the coastal whales, seals and might damage ecosystems. by tourists getting up close. areas. walrus are examples. Case Study: Sustainable Rainforest Management in Borneo – Crocker Ridge Biosphere reserve Case Study: Small Scale Sustainable Management: Case Study: Global Scale Sustainable Management: Location & Background Threats to the Borneo Rainforest Union Glacier, Antarctica The Antarctic Treaty System Crocker Ridge is located in Borneo in Asia. It is part of Cattle Ranching and agricultural development by Location & Background Background Malaysia in the state of Sabah to the North of the clearing land through slash & burn methods. island Gold and other metal mining meant large scale Signed by 50 nations in 1961, the Treaty sets aside Located in the southern Ellsworth Mountains and is a soil and rock removing. This meant areas were Antarctica as a scientific preserve, establishes freedom **Ecotourism** key logistic hub for expeditions and research. deforested and chemicals entered water systems. of scientific investigation and bans military activity. By 22m hectares of rainforest lost Ecotourism is tourism that is directed towards the Features and Activities natural environments & conversation. Tourists come Basic Principles of the Antarctic Treaty Rainforest Management to Borneo to see the Orangutan and clouded leopards. · The locations has good faculties such as a dining Bans mining and resource extraction. room, electricity supply and transport. Prevents territorial disputes of the continent. 2014 UNESCO designated the area a protected Tourist and can enjoy several activities such as ski Promotes scientific research and co-operation. wildlife reserve. tours, wildlife viewing and mountaineering. Within the core area only scientists go to help Protects the fragile environments and its wildlife by Core area - only for scientists and 200 indigenous protect the animals. preventing and managing waste/pollution. Penan tribes to protect rainforest. Sustainable Management The buffer zone provides tourist opportunities. Buffer zone allows ecotourism and localised industry growing coconuts, palm oil and Strict guidelines on how tourists should behave Successful? Disadvantages deforestation so that locals can earn income. are enforced to respect the natural environment.

Solar panels used to reduce carbon emissions.

All waste is carefully contained and removed.

Stayed in place for 50 years with more countries signing

up to enforce strict controls and improve its stability.